

Santorini

500LM

Geometry on your table



SOLAR TABLE LIGHT



Solar & USB



ALS



Safety



Indoor &
Outdoor



Charging
temperature




Working
temperature



Anti-glare light

The light is
more uniform and soft

Dual mode for indoor and outdoor use



type C charging port,
easy to store power even in rainy days

Touch button

Four levels of brightness switching, smooth transition of light without a steep drop



SOLAR TABLE LIGHT

Exquisite and flexible




Item :	
Light Brightness	500 Lumens
Solar panel	
Power	Monocrystalline silicon, 4.86V/ 0.5W
Li-ion battery	
Capacity	3.7V 7.4WH
Charging / Discharging Temp	0~45°C/-20~60°C
Charging Time	4.5H
LED	2835, 20pcs
CCT	4000K, Ra>70
Efficiency	190lm/W
Types of Lighting	Anti-glare
Performance	
Lighting Time in Rainy day	>7 days
Lighting Mode	M1: 25% till dawn M2: 50% till dawn M3: 75% till dawn M4: 100% till dawn
Charging indicator	Red
Switch	Touch button
Control Mode	1. on and off: long press for 1.5S 2. Short press to switch the lighting mode 3. Indoor outdoor switching: Hold down 5S, the lamp flashes 3 times. Indoor mode definition: no CDS judgment
Core Technology	ALS2.4
IP	IP44
Materials	ABS & PS

SOLAR TABLE LIGHT

DIMENTION FIGURE

unit: mm



SOLAR TABLE LIGHT



High lumen LEDs 190lm/W



Monocrystalline silicon solar panel



Support Type C




Touch Button



A Great Company should always pay the highest attention to every detail of design, and the craftsmanship spirit should be filled in the whole design process and mass production.

SOLAR TABLE LIGHT



MODEL NO.	PACKING METHOD	PCS/CTN	QTY(PCS)	CTN QTY	CARTON SIZE(MM)	N.W.(KG)	G.W.(KG)
SGL-12	INNER BOX	1	1	1	149x149x236	-	-
	CARTON	18	18	1	467x467x492	-	-

Net weight and gross weight are for reference only



S O L A R / T A B L E / L I G H T



INNOVATING
THE FUTURE
OF SOLAR LIGHTING

